



Medical Tablet C12



Windows



Android



IP65



GNSS



Bluetooth



Camera




4G



WiFi



NFC



PERFORMANCE

Windows Version

- Windows 11 Pro
- 8GB RAM + 128GB storage
- ARM, Octa-core
- 4750 mAh Battery | Fast
- 10.1" Display
- 1200x1920 Resolution

Android Version

- Android™ 11 OS
- 8GB RAM + 128 storage
- ARM (5G-C) (OCTA Core)
- 9500 mAh Battery
- 10.1" Display
- 1200x1920 Resolution

FEATURES

- Front 5.0 MP | Rear 13.0 MP camera
- Lightweight design
- IP65 Protection Class
- 1m Drop - Proof

COMMUNICATION

- WiFi | Bluetooth | 2G/3G/4G | GNSS
- 2D Barcode Scanner

RFID OPTIONS

- NFC (ISO 18092)

PRODUCT PICTURES



TECHNICAL DATA

ELECTRICAL SPECIFICATIONS		
Battery	Windows Version 4750mAh/7.6V, Built-in Li-polymer battery,	Android Version 3.8V/9500mAh, Built-in Li-polymer battery,
	11hrs (50% volume sounds, 400 lumens brightness, 1080P HD video display by default)	13hrs (50% volume sounds, 50% screen brightness, 1080P HD video display by default)
Power	USB Type-C interface, Voltage stabilization 12V/3A, 36W	USB Type-C interface, support fast charging PE + 2.0, Maximum Power 18W, Maximum 9V/2A
RAM	8GB	
ROM	128GB	

MECHANICAL CONDITIONS	
Dimensions	263 x 177 x 10.5mm
Weight	700g
Color	White
CPU	ARM OCTA Core
Camera	Front 5.0MP Rear 13.0MP
Display	10.1 inch IPS 16:10, 1200x1920, 400nits
Touchscreen	10 point G+G capacitive touch screen
Input / Output	USB Type-C x 1, SIM Card x 1, TF Card x 1, (Two out of three Cato) 12PIN Pogo Pin *1

ENVIRONMENTAL CONDITIONS	
Operating Temperature	-10 °C ~ 50 °C
Storage Temperature	-20 °C ~ 60 °C
Humidity	95% Non-Condensing
Protection Class	IP65 certified
Drop Height	1m drop

COMMUNICATION SPECIFICATIONS	
WiFi	WiFi 802.11 a/b/g/n/ac (2.4G+5.0G or 5.1G+5.8G)
Bluetooth	BT5.1
2G/ 3G/ 4G	European version band: GSM: NA WCDMA: B1/B3/B5/B8 FDD: B1/B3/B5/B7/B8/B20/B28(a+b) TDD: B38/B39/B40/B41 American version band: GSM: NA WCDMAa: B2/B4/B5 FDD: B2/B4/B5/B12/B13/B14/B17/B25/B26/B30/B66/B71 TDD: B38+B41N
	Built-in GPS/Galileo/GLONASS/Bei-Dou(G+G+G+B)
GPS	

SUPPORTED OS	
Supported OS	Windows 11 Pro Android 11

DATA COLLECTION		
NFC	Built-in, 13.56MHz, ISO 18092	
1D/2D	Optical resolution: ≥3mil	
	Code system: 1D: Code128, EAN-13, EAN-8, UPC-E, UPC-A, ISBN, ISSN, Code11, Interleaved 2 of 5, Code39, Code93, Code32, Codabar, Matrix 2 of 5, Industrial 25, IATA25, MSI Plessey, GS1 DataBar, Plessey, Febraban, Composite	2D: QR Code, Micro QR, Data Matrix, PDF417, Micro PDF417, Aztec, Maxicode, HanXin code, Dotcode

ORDER CODES

VERSIONS	ORDER CODES
Medical C13 Tablet - Windows	R-HH-C12T-NFC-W11
Medical C13 Tablet - Android	R-HH-C12T-NFC-A11

ACCESSORIES



DOCKING CHARGER



HAND STRAP



LEATHER CASE

APPLICATION RANGE



ELECTRONIC HEALTH RECORD



PHARMACY MANAGEMENT



WARD ROUD OF DOCTOR